

MANUFACTURER	DATE	DESCRIPTION	LOT	REASON
HOSPIRA	03-Feb-12	Sod Chl 09% SRN 10ml/100 NDC: 409-1078-20	95-182-5E, 94-230-5E, 93-229-5E, 92-131-5E, 01-168-5E, 94-224-5E, 93-232-5E, 93-211-5E, 02-157-5E, 94-233-5E, 93-230-5E, 92-133-5E, 01-170-5E	Matter in the fluid pathway.
WESTWARD	30-Jan-12	Butorphanol SDV 1mg 1ml/10 NDC: 143-9864-10	102015.1, 102016.1, 102017.1,	Out of specification impurity profile at the 18month long term room temp. station
WESTWARD	30-Jan-12	Butorphanol SDV 2mg 1ml/10 NDC: 143-9867-10	102018.1, 102019.1, 102020.1, 112113.1, 112114.1	Out of specification impurity profile at the 18month long term room temp. station
TEVA	25-Jan-12	Flutamide Cap 125mg 180 NDC: 172-4960-58	J05761, j15067, j15229	Presence of an Imatinib Mesylate 100mg Cap
HOSPIRA	24-Jan-12	Lidocaine 04% 5%Dex 250ml/12 NDC: 409-7931-32	92-643-KL	Out of specification results for in -process chemical assay during testing.
HOSPIRA	24-Jan-12	Sod Chl 09% BG 250ml/24 NDC: 409-7983-02	94-833-KL	Out of specification results for in -process chemical assay during testing.
MERCK	24-Jan-12	Celestone Syr 4OZ NDC: 85-0942-05	9-APR-100, 9-APR-101, 9-APR-102, 9-APR-103, 0-APR-100, 0-APR-101, 0-APR-102, 0-APR-103	Potential for dosing variability in the Celestone brand of betamethasone Oral Solution
GLAXOSMITHKLINE	18-Jan-12	Ventolin HFA INF Novo 8Gm NDC: 173-0682-21	1ZP1061, 1ZP6940, 1ZP9680	Low level of canisters may not contain sufficient propellant to deliver the labeled 60 actuations
GLAXOSMITHKLINE	18-Jan-12	Ventolin HFA INH 8Gm NDC: 173-0682-24	1ZP0922, 1ZP0571, 1ZP6915, 1ZP6939, 1ZP7823, 1ZP8151	Low level of canisters may not contain sufficient propellant to deliver the labeled 60 actuations
GLAXOSMITHKLINE	18-Jan-12	Ventolin HFA INH 8Gm NDC: 173-0682-24	1ZP0856, 1ZP1981, 1ZP6941, 1ZP7824, 1ZP9063	Low level of canisters may not contain sufficient propellant to deliver the labeled 60 actuations
NOVARTIS	13-Jan-12	For a complete list of affected products see the PDF link at the top of the page.	For a complete list of affected lots see the PDF link at the top of the page.	complaints of chipped and broken pills and in consistent bottle packaging
MALLINCKRODT	12-Jan-12	Acetamin Cod Phos 300/60 100's NDC: 406-0485-01	0485T81671	Mislabeled with an incorrect topsert
PFIZER	11-Jan-12	Cardura XL Tab 4mg 30's NDC: 49-2710-30	V101161	Stability testing yielded an out of specification result for an individual value at 8 hr. dissolution
MCKESSON	10-Jan-12	Nifedipine Er Tab 30mg NDC: 63739-0451-10	74888	Stability failure for tablet dissolution
MCKESSON	10-Jan-12	Nifedipine Er Tab 60mg NDC: 63739-0452-10	74901	Stability failure for tablet dissolution
AKRIMAX	03-Jan-12	Lo/Ovral Tab 6x28 NDC: 24090-0801-84	E15678, E15679, E15686, E15687, E15690, E15698, E15700, E80434, E80438, F36908, F36909, F43915, F43926, F43927	Blister packs may contain an inexact count of placebo or active ingredient tablets.
ABBOTT	29-Dec-11	Gengraf cap 25mg 30's NDC: 74-6463-32	03018AF	blister seals may not have been fully sealed.
QUALITEST	29-Dec-11	Alprazolam Tab 2mg 500's NDC: 603-2130-28	T148M09A, T164M09A, T022D10A, T023D10A, T024D10A, T026D10B, T183H10B, T184H10A, T186H10A, T187H10A, T180M10A, T076B11A, T201B11A, T240C11A, T028D11A, T029D11A, T017E11A, T018E11A, T022H11A, T018J11A, T019K11A	Tablet score may break prematurely causing sudden does reduction
QUALITEST	29-Dec-11	Alprazolam Tab 2mg 100's NDC: 603-2130-21	T025D10A, T026D10A, T023D10B, T024D10B, T182H10A, T185H10A, T020J10A, T021J10A, T003L10A, T178M10A, T179M10A, T202B11A, T239C11A, T025D11A, T024D11A, T026D11A, T027D11A, T019E11A, T020E11A, T021E11A, T021H11A, T017J11A, T016J11A, T020K11A,	Tablet score may break prematurely causing sudden does reduction
OTSUKA	23-Dec-11	Busulfex VI 6mg/ML 10ML NDC: 59148-0070-91	1797784D, 1852754D, 1921438D, 2006877D, 2014420D, 2025212D, 2045802D, 2055597D	Potential presence of particulate matter in product.
TEVA	23-Dec-11	Topiramate Tab 25mg 60 NDC: 93-0155-06	28T030	Lots may not meet the impurity specifications through expiration
MCNEIL	21-Dec-11	Motrin IB Cpl 24s NDC: 50580-0110-03	ACA310, ACA460, ADA407, AEA262, AFA226, AJA170, ALA037, ALA163, AMA012, AMA331, AMA342, APA035, ASA082, ASA123, ASA285, BDA238, BDA260, BDA383, BEA065, BEA148, BEA269, BEA277, BFA064, BFA144, BFA244, BHA078, BHA147, BHA167, BHA198, BJA164, BJA221, BMA144, BMA215, BMA271, BSA022, BSA056, CBA063, CBA107, CCA028, CDA003, CFA065, CFA100, CHA012, CHA044, CHA066, CHA080, CMA028, CMA035, CMA057, CMA102, CMA108	Caplets may not dissolve as quickly as intended.
Paddock	20-Dec-11	Ciclopirox Gel .77% 45gm NDC: 574-2061-45	2010433330, 2011155328	Did not conform to product specifications for an unspecified impurity at 9 month stability testing.
BRISTOL-MYERS SQUIBB	15-Dec-11	Kenalog - 40 10ML NDC: 3-0293-28	0L56792	Difficulty in withdrawal of the lots from the vial with a syringe
HOSPIRA	15-Dec-11	Sod Chl .9% 500ml/24 NDC: 409-7983-03	06-830-FW	Out of specification result for Ph during lot specific protocol ph testing.
MAJOR	29-Nov-11	Nitro Transderm .2 mg/hr 30 NDC: 904-5495-46	99907, 999066	review revealed that they did not meet all the customer complaint SOP requirements.
MAJOR	29-Nov-11	Nitro Transderm .4mg/hr NDC: 904-5496-46	999048, 999054, 999058	review revealed that they did not meet all the customer complaint SOP requirements.
MAJOR	29-Nov-11	Nitro Transderm .6mg/hr 30 NDC: 904-5497-46	999045	review revealed that they did not meet all the customer complaint SOP requirements.
SANDOZ	29-Nov-11	Enoxaparin Sod SRN 100mg/1ml 10 NDC: 781-3500-69	918004	defect where the needle could protrude thru the needle's rubber cap
SANDOZ	29-Nov-11	Enoxaparin Sod SRN 150mg/1ml 10 NDC: 781-3655-69	918008	defect where the needle could protrude thru the needle's rubber cap
CEPHALON	18-Nov-11	Treanda for Injection., 25mg, 8mL vial, NDC:63459-0390-08	TB30111	reported glass fragments found in single vial
HOSPIRA	18-Nov-11	Sodium Chloride Flush Sm, 0.9%, 10mL/100, NDC: 409-1078-20	91-100-5E, 91-102-5E, 91-106-5E, 91-114-5E, 91-116-5E, 91-118-5E	particulate matter in fluid pathway
ASTRAZENECA	17-Nov-11	Seroquel Tab 300mg 60's NDC: 310-0274-80	YB0130	Potential presence of extremely low levels of inert polyvinylchloride material in product

MANUFACTURER	DATE	DESCRIPTION	LOT	REASON
BARR	15-Nov-11	Hydralazine Tab 25mg NDC: 50111-0327-03	315809	Some tablets not conforming to weight specifications.
HOSPIRA	15-Nov-11	Lactated Ring VisiV 1000ML/12 NDC: 409-7953-48	07-079-JT, 08-162-JT	Potential channel leak at the seal of the fill tube to the bag.
LILLY	28-Oct-11	Xigris 5mg/5ml NDC: 2-7559-01	ALL LOTS	Lack of which call into question the benefit-risk profile of the product
LILLY	28-Oct-11	Xigris 20mg/20ml NDC: 2-7561-01		Lack of which call into question the benefit-risk profile of the product.
BRISTOL-MYERS SQUIBB	25-Oct-11	Coumadin Tab 2Mg 100UD NDC: 56-0170-75	0B60594A	Product may not conform to specification for shelf life
BRISTOL-MYERS SQUIBB	25-Oct-11	Coumadin Tab 5Mg 100UD NDC: 56-0172-75	0A64654A, 0D55407A	Product may not conform to specification for shelf life
BRISTOL-MYERS SQUIBB	24-Oct-11	Kenalog -10 VI 5ML NDC: 3-0494-20	0K65465	Difficulty in withdrawal of the lots from the vial with a syringe
BRISTOL-MYERS SQUIBB	24-Oct-11	Kenalog -40 VI 5ML NDC: 3-0293-20	0K66391	Difficulty in withdrawal of the lots from the vial with a syringe
BRISTOL-MYERS SQUIBB	24-Oct-11	Kenalog-40 VL 10ML NDC: 3-0293-28	0K66412, 0K66414, 0K66501	Difficulty in withdrawal of the lots from the vial with a syringe
TEVA	21-Oct-11	Tetracycline Cap 500mg NDC: 172-2407-10	34002104A	Out of specification for particle size.
TEVA	21-Oct-11	Tetracycline Cap 500mg NDC: 172-2407-80	34002104C	Out of specification for particle size.
GLAXOSMITHKLINE	19-Oct-11	Avandamet 2MG/1000mg Tab NDC: 7-3163-18	ALL LOTS	Risk for myocardial infarction
GLAXOSMITHKLINE	19-Oct-11	Avandamet 2MG/500mg Tab NDC: 7-3167-18	ALL LOTS	Risk for myocardial infarction
GLAXOSMITHKLINE	19-Oct-11	Avandamet 4Mg/1000mg Tab NDC: 7-3164-18	ALL LOTS	Risk for myocardial infarction
GLAXOSMITHKLINE	19-Oct-11	Avandamet 4MG/ 500mg Tab NDC: 7-3168-18	ALL LOTS	Risk for myocardial infarction
GLAXOSMITHKLINE	19-Oct-11	Avandaryl 8mg/4mg Tab 30 NDC: 7-3149-13	ALL LOTS	Risk for myocardial infarction
GLAXOSMITHKLINE	19-Oct-11	Avandaryl 4mg/1mg Tab NDC: 7-3151-13	ALL LOTS	Risk for myocardial infarction
GLAXOSMITHKLINE	19-Oct-11	Avandaryl 4mg/2mg Tab NDC: 7-3152-13	ALL LOTS	Risk for myocardial infarction
GLAXOSMITHKLINE	19-Oct-11	Avandaryl 8mg/2mg Tab 30 NDC: 7-3148-13	ALL LOTS	Risk for myocardial infarction
GLAXOSMITHKLINE	19-Oct-11	Avandaryl 4mg/4mg Tab NDC: 7-3153-13	ALL LOTS	Risk for myocardial infarction
GLAXOSMITHKLINE	19-Oct-11	Avandia Tab 2 mg 60 NDC: 29-3158-18	ALL LOTS	Risk for myocardial infarction
GLAXOSMITHKLINE	19-Oct-11	Avandia Tab 4 mg 30 NDC: 29-3159-13	ALL LOTS	Risk for myocardial infarction
GLAXOSMITHKLINE	19-Oct-11	Avandia Tab 8mg 90 NDC: 29-3160-59	ALL LOTS	Risk for myocardial infarction
GLAXOSMITHKLINE	19-Oct-11	Avandia Tab 4mg 90 NDC: 29-3159-00	ALL LOTS	Risk for myocardial infarction
GLAXOSMITHKLINE	19-Oct-11	Avandia Tab 8Mg 30 NDC: 29-3160-13	ALL LOTS	Risk for myocardial infarction
BAXTER	17-Oct-11	Gentamycin 80mg 100/24 NDC: 338-0503-48	P269787	2 lots of finished product were 1% below the approved concentration range.
BAXTER	17-Oct-11	Gentamycin 100mg 100Ml24 NDC: 338-0505-48	P268870	2 lots of finished product were 1% below the approved concentration range.
BEDFORD	06-Oct-11	Doxycycline VI 100mg 15ML NDC: 55390-0010-10	1178491, 1216455, 1635284	Product does not meet the specification
TEVA	06-Oct-11	Amoxicillin Sus 125mg 80ML NDC: 93-4150-79	35411254A, 35411255A, 35411256A, 35411257A, 35412446A, 35412447A, 35412448A, 35413485A, 35413486A, 35413487A, 35413487A, 35413488A, 35413918A, 35413919A, 35413920A, 35413921A, 35413922A	Does not meet specification for potency
VISTA PHARM	06-Oct-11	Phenytoin Susp., 125mg/5mL, 4mL/50U, NDC: 66689-0036-50	210900, 214000, 220100, 224800, 228700, 232800	lidding deformity
HOSPIRA	03-Oct-11	Tazicef Add 1gm 25 NDC: 409-5092-52	020098m, 030368m, 860148m, 860158m, 890298m, 920088m, 920098m, 940068m, 960018m	out of specification results for delivered dose testing thru shelf life
HOSPIRA	03-Oct-11	Tazicef Add 1gm 15ml/25 NDC: 409-5092-16	020098m, 020108m, 030368m, 860158m, 860168m, 860178m, 890288m, 890298m, 920098m, 940068m, 960018m	Out of specifaicaton results first discovered in certain lots during stability testing
HOSPIRA	03-Oct-11	Tazicef Add 2gm 20ML/10 NDC: 409-5093-11	020118m, 020128m, 030378m, 820298m, 820308m, 860188m, 860198m, 860208m, 860218m, 890268m, 890278m, 920118m, 920128m, 940078m, 960028m, 960038m	out of specification results for delivered dose testing thru shelf life
HOSPIRA	03-Oct-11	Tazicef Add 2gm 21ML/10 NDC: 409-5093-51	860188m, 890278m, 920108m, 920118m, 960038m, 020118m	out of specification results for delivered dose testing thru shelf life
MEDLINE	03-Oct-11	Foley Insrtr Tray W/O Cath NDC: 181-00	Lot numbers beginning with 08,09,10	Products were manufactured without having in place a system for microbial testing at the time of release.
BRACCO	29-Sep-11	Isovue-300 VI 30ML cs/10 NDC: 270-1315-25	Of68266	Several bottle necks contain cracks
X-Gen	27-Sep-11	Neomycin Sulf Tab 500mg NDC: 39822-0310-05	FGX	Package integrity may have been compromised on some blister cards in this lot.
AHP	23-Sep-11	Phenytoin Er Cap 100mg NDC: 68084-0376-01	102144, 102145, 102740, 102862, 102859	undetected packaging issue affecting these lots
LINKS	23-Sep-11	Manuka Shields	All lots	Trade Marketing issue
NOVARTIS	21-Sep-11	Excedrin Migraine Cpl 100's NDC: 67-2039-91	10068948	Instance of product mix-up in the lot

MANUFACTURER	DATE	DESCRIPTION	LOT	REASON
NOVARTIS	21-Sep-11	Excedrin Migraine Cpl 250's 2039-77 NDC: 67-	10084053	Instance of product mix-up in the lot
QUALITEST	19-Sep-11	Cyclafem 1/35 dialpack 6x28 603-7521-17 NDC:	DDH, CPDK, DMZV, DMZY, DMZX, DKG Y	Packaging error
QUALITEST	19-Sep-11	Cyclafem 7/7/7 Tab 6x28 7525-17 NDC: 603-	DDC, CFCX, FFZH, XBM, CBGW	Packaging error
QUALITEST	19-Sep-11	Emoquette Cycle Pk 6x28 7540-17 NDC: 603-	CPBS	Packaging error
QUALITEST	19-Sep-11	Gildess FE 1.5/30mcg 6x28 7608-17 NDC: 603-	MNB, MNM, MNP, ZNP, ZNN, CNMS, DNBG, FDGT, DNB	Packaging error
QUALITEST	19-Sep-11	Gildess FE 1/20mcg 6x28 7609-17 NDC: 603-	MNG, MNH, MNK, MWB, MVZ, MVY, ZMY, ZMZ, CNMT, DBSP, DMDY, DBSS, DMPX, FDYT, DMPY, FDGS, DNBT, FDYP, FDYS, DNBV	Packaging error
QUALITEST	19-Sep-11	Previfem Tab 6x28 7642-17 NDC: 603-	DCG, DCD, CNYG, CNYH, DBMG, DBMF, DGGX, DGGK, DGGH, DGGY, DMPS, DMPT, FDGN, DCF	Packaging error
QUALITEST	19-Sep-11	Tri-Previfem Tab 6x28 7663-17 NDC: 603-	CSZX, CSZW, CDYK, CNYT, DGHM, DYZZ, DYZY, DZBB, DVBD, DGHM, DGHN, FFNX, DNBV, DBV, DNBZ, DBT, DGHK, DGHH	Packaging error
VERTICAL	15-Sep-11	OB Complete Chew Tab 30UD 0039-30 NDC: 68025-	OD182	Product does not meet company standards due to a slight discoloration on the tablets.
WARNER CHILCOTT	15-Sep-11	Ovcon-50 3x28 0585-45 NDC: 430-	504705A, 02260F	Expiration has been reduced to 12 months.
BARR	14-Sep-11	Aviane Tab 6x28 9045-58 NDC: 555-	33800823A, 33800827A	Potential for damaged blister cavities
NOVARTIS	14-Sep-11	Maalox M/S Liq 12oz. Cherry 0336-71 NDC: 67-	10105720	Instance of the addition of a small amount of Non-USP water during Manufacturer.
TEVA	14-Sep-11	Aviane Tab 6x28 9045-58 NDC: 555-	33800823A, 33800827A	Potential damaged of blister cavities
TEVA	14-Sep-11	ProAir Inhalation, 90mcg/200 dose, 0554-30 NDC: 59310-0579-20	PAA35A, PAA35B, PAA35C	Some canisters having a potential to leak.
NOVEN	12-Sep-11	Daytrana Patch 20mg 0554-30 NDC: 54092-	46678, 46121	may not meet the release liner removal specification
NOVEN	12-Sep-11	Daytrana Patch 15mg BX/30 68968-5553-03 NDC:	50268	may not meet the release liner removal specification
NOVEN	12-Sep-11	Daytrana Patch 30mg 0555-30 NDC: 54092-	50890, 50894, 50891, 50892, 46071	may not meet the release liner removal specification
NOVEN	12-Sep-11	Daytrana Patch 30mg Bx/30 68968-5555-03 NDC:	51941, 50328, 50332, 50335, 52321	may not meet the release liner removal specification
NOVEN	12-Sep-11	Daytrana Patch 20mg BX/30 68968-5554-03 NDC:	50260	may not meet the release liner removal specification
HOSPIRA	09-Sep-11	Furosemide Inj., USP 100mg(10mg/ml)10ml 0409-1639-10 NDC:	85-2146-EV	Specifications result at 18 month stability testing for total impurities.
PFIZER	09-Sep-11	Arthrotec Tab 75mg 60's 1421-60 NDC: 25-	C090912, C091184, C091234, C100256, C100320	Lots may contain broken tablets
MAJOR	07-Sep-11	Povidone Iodine Sol 240ml 1103-09 NDC: 904-	ALL LOTS	Product was manufactured without having in place a system for testing incoming components.
SANDOZ	02-Sep-11	Testosterone Cyp 200 mg 1x1ml vl 3074-71 NDC: 781-	AX1267, AX6898, AX7966	Reported crystallization of the injectable drug product in vials.
ASTRAZENECA	29-Aug-11	Rhinocort Aqua 120 Dose 1070-08 NDC: 186-	MM5047B, MM5047C	Some units may exhibit glass breakage at the base of the product.
ABBOTT	25-Aug-11	Nimbex MDV 2ML/ML 10ML 4380-10 NDC: 74-	04220DD	Presence of one foreign lyo-stopper on one single vial .
HOSPIRA	19-Aug-11	Dextrose, 5% Injection, 250mL, carton of 24, 7922-02 NDC: 409-	95-067-JT (may be followed by "01")	potential for solution to leak from a tear near perimeter seal an hanger slot
SHIRE	19-Aug-11	Vyvanse, 40mg, 100's, NDC: 59417-0104-10	A70903B, A74435B, A74436B, A74847B	may contain incorrect dosage strength capsules in bottle along with correct dosage strength
SHIRE	19-Aug-11	Vyvanse, 60mg, 100's, NDC: 59417-0106-10	A66880B, A72154B	may contain incorrect dosage strength capsules in bottle along with correct dosage strength
LUPIN	18-Aug-11	Ramipril Capsules, 1.25mg, bottles of 100, 68180-0588-01 NDC:	ALL LOTS	some tables over time may not meet specifications
BAYER	16-Aug-11	Contour Meter Kits with Test Strips Included, 193-7151-01 and NDC: 193-7184-01 and NDC: 193-7183-01	ALL LOTS	some strips produce a low-bias reading during blood glucose testing
BAYER	16-Aug-11	Contour Test Strips, vials of 25 count strips, 7070-25 NDC: 193-	ALL LOTS	some strips produce a low-bias reading during blood glucose testing
BAYER	16-Aug-11	Contour USB meter kit with bottle of 25 strips, 193-7393-01 NDC:	ALL LOTS	some strips produce a low-bias reading during blood glucose testing
BAYER	16-Aug-11	Didget meter kit with bottle of 25 strips, 193-6181-01 NDC:	ALL LOTS	some strips produce a low-bias reading during blood glucose testing
MCNEIL	16-Aug-11	Tylenol Cold Multi-Symptom Nighttime RR Gelcaps, 24's, NDC: 50580-0395-24	AMA277, APA059, APA162, ASA025, APA237, ASA072, ASA208, BAA008	level of CPAA was slightly higher than expected
MCNEIL	16-Aug-11	Tylenol Cold Multi-Symptom NT/DT RR Gelcaps, 20 count, NDC: 50580-0396-20	AMF034, BAF005, BAF027, BCF080	level of CPAA was slightly higher than expected
AVKARE	15-Aug-11	Acetabutofol HCl Caps, 200mg, 50 Unit Dose, 50268-0050-15 NDC:	BB03410	mislabeling issue on back of blister package
HOSPIRA	12-Aug-11	Sod Chl .9% 250ml/24 7983-25 NDC: 409-	02-301-c6	potential for solution to leak at the port to tube interface.
NEILMED	11-Aug-11	Sinusurf 1oz. 592-8500-01 NDC:	ALL Lots	Relabeling
BAUSCH & LOMB	10-Aug-11	Murocel Opt Sol 1% 15ML 24208-0280-15 NDC:	467061, 487551, 548051, 132171, 136571, 140181	testing revealed an out of specification result for dissolution
HOSPIRA	09-Aug-11	Atropine Ped SRN .05mg/ML 9630-05 NDC: 409-	82-397-EV	Specifications result at 18 month stability testing for total impurities.
BEDFORD	03-Aug-11	Polymyxin B Inj., 500,000 Units, 10vials, 0139-10 NDC: 55390-	1895027, 1942980	potential for presence of glass particulates
BEDFORD	03-Aug-11	Vecuronium Bromide Inj., 10mg, 10 vials, 0037-10 NDC: 55390-	1865067	potential for presence of glass particulates

MANUFACTURER	DATE	DESCRIPTION	LOT	REASON
BEDFORD	03-Aug-11	Vecuronium Bromide Inj., 20mg, 10 vials, NDC: 55390-0037-10	1865069	potential for presence of glass particulates
AMERICAN REGENT	02-Aug-11	Vasopressin Inj., 20units/mL, 0.5ml/25, NDC: 517-0510-25	103	may not maintain potency thru labeled shelf life
AMERICAN REGENT	02-Aug-11	Vasopressin Inj., 20units/mL, 10ml/10, NDC: 517-0410-10	9677, 0052, 0294, 0442, 0663	may not maintain potency thru labeled shelf life
AMERICAN REGENT	02-Aug-11	Vasopressin Inj., 20units/mL, 1ml/25, NDC: 517-1020-25	9532, 9618, 9707, 0104, 0124, 0273, 0346, 0400, 0437, 0618, 0758	may not maintain potency thru labeled shelf life
BEDFORD	20-Jul-11	Paclitaxel VL 100mg, 16.7m NDC: 55390-0114-20	2006737	Defective Seal(loose crimp)
BEDFORD	20-Jul-11	Paclitaxel VL 100mg, 16.7m NDC: 55390-0304-20	2006737	Defective Seal(loose crimp)
AMERICAN REGENT	18-Jul-11	Calcium Gluc VL 10% 100ML NDC: 517-3900-25	1006	Some vials contain silicone particles.
PFIZER	15-Jul-11	Covera-HS Tab 240mg, 100's NDC: 25-2021-31	C091375	does not conform to dissolution specification
KING	12-Jul-11	Levoxyol Sod Tab 75mcg, 1000's NDC: 60793-0852-10	60809	A single 200mcg tablet was found packaged with the lot.
WARNER CHILCOTT	12-Jul-11	Ovcon-50 0585-45 3x28 NDC: 430-	01150F	Stability testing time-point an OOS result for ethinyl estradiol assay was reported at 25deg C.
BAUSCH & LOMB	11-Jul-11	Murocel Opt Sol 1% 15ML NDC: 24208-0280-15	507521	testing revealed an out of specification result for dissolution
COVIDIEN	11-Jul-11	MD- Gastroview Bot 120ml/12 NDC: 19-4816-05	All unexpired lots released for distribution between Sept. 2009 and June 2011	Does not meet the requirements of the USP <51> Antimicrobial effectiveness check.
COVIDIEN	11-Jul-11	MD- Gastroview Bot 240ml/12 NDC: 19-4816-06	All unexpired lots released for distribution between Sept. 2009 and June 2011	Does not meet the requirements of the USP <51> Antimicrobial effectiveness check.
HOSPIRA	11-Jul-11	Diazepam Isec Syr 10mg/2ml NDC: 409-1273-05	90575LL	Complaints of cracks in some lots of the syringes.
HOSPIRA	11-Jul-11	Hep Sod Isec Syn 5000u 2ml/10 NDC: 409-1316-25	01595LL, 04750LL, 88650LL, 89695LL, 90580LL, 91540LL, 92540LL, 93575LL, 94775LL, 96545LL	Complaints of cracks in some lots of the syringes.
HOSPIRA	11-Jul-11	Ketorolac Srn 30mg 1ML/10 NDC: 409-2287-21	90720LL, 94655LL	Complaints of cracks in some lots of the syringes.
HOSPIRA	11-Jul-11	Ketorolac Srn 60mg 2ML/10 NDC: 409-2287-22	88690LI	Complaints of cracks in some lots of the syringes.
HOSPIRA	11-Jul-11	Midazolam CPJ 1mg/ML, 2ML/10PF NDC:409-2306-62	85610LL	Complaints of cracks in some lots of the syringes.
HOSPIRA	11-Jul-11	Midazolam SRN 5mg/ML, 1ML/10 NDC:409-2307-21	80680LL, 90735LL	Complaints of cracks in some lots of the syringes.
HOSPIRA	11-Jul-11	Ondansetron Srn 2ML, CT/10 NDC: 409-1120-62	01695LL, 03820LL, 79610LL, 82610LL, 84515LL, 86665LL, 88585LL, 94795LL, 95640LL	Complaints of cracks in some lots of the syringes.
PIERRE FABRE	11-Jul-11	Navelbine Inj. 10mg, 1ML NDC: 64370-0532-01	1P107, 1P106, 2P106, 2P106-A, 2P106-B,	Stability testing showed atypical trend toward accelerated aging.
PIERRE FABRE	11-Jul-11	Navelbine Inj. 50mg, 5ML NDC: 64370-0532-02	P505, P505_A, P505_B, P505_C	Stability testing showed atypical trend toward accelerated aging.
NOVARTIS	08-Jul-11	Enablex Tab 15mg, 30's NDC: 78-0420-15	f0064	dissolution results were out of specification
NOVARTIS	08-Jul-11	Fanapt Tab 12mg, 60's NDC: 43068-0112-02	V0230A001, V0230A001S, V0230A001S2	Dissolution results were out of specification
SMITH & NEPHEW	08-Jul-11	Skin Prep Wipes Box 50 NDC: 4204-00	9K148	potential contamination
SMITH & NEPHEW	08-Jul-11	Uni-Solve Adhesive Remover Wipes, 50's, NDC: 4023-00	9K154, 9K155	potential contamination
NOVEN	07-Jul-11	Daytrana Patch 10mg, Box/30 NDC: 54092-0552-30	41843, 44182	No longer meeting release liner specification and/or z-statistic or may not meet release liner removal specs and/or z-statistic prior to expiry
NOVEN	07-Jul-11	Daytrana Patch 15mg, Box/30 NDC: 54092-0553-30	43783, 47932, 48600, 44177	No longer meeting release liner specification and/or z-statistic or may not meet release liner removal specs and/or z-statistic prior to expiry
NOVEN	07-Jul-11	Daytrana Patch 15mg, Box/30 NDC: 68968-5553-03	50275, 51925	No longer meeting release liner specification and/or z-statistic or may not meet release liner removal specs and/or z-statistic prior to expiry
NOVEN	07-Jul-11	Daytrana Patch 20mg, Box/30 NDC: 54092-0554-30	49203, 39216, 41846, 41888, 42657, 46266, 47952, 38833	No longer meeting release liner specification and/or z-statistic or may not meet release liner removal specs and/or z-statistic prior to expiry
NOVEN	07-Jul-11	Daytrana Patch 20mg, Box/30 NDC: 68968-5554-03	50265	No longer meeting release liner specification and/or z-statistic or may not meet release liner removal specs and/or z-statistic prior to expiry
NOVEN	07-Jul-11	Daytrana Patch 30mg, Box/30 NDC: 54092-0555-30	48591, 39217, 47961, 47964, 48588, 48597, 50893, 40850, 43008	No longer meeting release liner specification and/or z-statistic or may not meet release liner removal specs and/or z-statistic prior to expiry
GREENSTONE	01-Jul-11	Alprazolam XR Tablets 2.0mg, 60's NDC: 59762-006-01	C090023	24 month stability testing yielded an out of specification result for dissolution.
ASTRAZENECA	30-Jun-11	Vimovo Tab 500/20mg, 100's NDC: 186-0520-39	WH0061	Dissolution results were out of specification
ASTRAZENECA	30-Jun-11	Vimovo Tab 500/20mg, 60's NDC: 186-0520-60	WH0099, WL0144	failed to meet dissolution specifications for naproxen.
GENENTECH	28-Jun-11	Cellcept O/Sol 200mg/ml, 175ml NDC: 4-0261-29	896992, 896993, 904407, 904408, 905985, 905986, 905987	Complaints that the bottle adapter does not fit into the bottle.
MCNEIL	28-Jun-11	Tylenol E/S Cpl. 225 ct. NDC: 45-0444-27	ABA619	Reports of musty, moldy odor.
QUALITEST	28-Jun-11	Butalbital Apap/Caf 325mg, 500's NDC: 603-2544-28	C0390909A, C0400909A, C0410909A, C0590909B	Found incorrectly labeled
QUALITEST	28-Jun-11	Hydrocodone w/Apap 7.5/500, 1000's NDC: 603-3882-32	C0390909A, C0400909A, C0410909A, C0590909B	Found incorrectly labeled
ENDO	27-Jun-11	Endocet Tab 10/325mg, 100's NDC: 60951-0712-70	402415NV, 402426NV	One bottle from each lot were found to contain some 10mg/650mg tabs.
APOTEX	17-Jun-11	Azelastine HCL N/Spray, 137mcg 30ml, NDC: 60505-0833-05	JK9130, JM0925, JN6514, JN1125, JN1127, JR5780, JR5782	Product may not maintain potency over shelf life.

MANUFACTURER	DATE	DESCRIPTION	LOT	REASON
BD	17-Jun-11	Blister pkg. Insulin Syringe 1.0ml 28Gx1/2" NDC: 8290-3294-24	39920	Some shelf cartons within this lot were packaged using an experimental shelf carton
JANSSEN	17-Jun-11	Risperdal, 3mg, 60's, NDC: 50458-0330-06	0GG904	complaint of musty, moldy odor/taste
JANSSEN	17-Jun-11	Risperidone, 2mg, 60, NDC: 50458-0330-06	0LG175	complaint of musty, moldy odor/taste
HI-TECH	16-Jun-11	Chlorhexidine Gluconate Oral Rinse, 0.12% Unit Dose, NDC:50383-0720-17	607247	precipitate found in product
HI-TECH	16-Jun-11	Chlorhexidine Gluconate Oral Rinse, 0.12%, 16 ounce, NDC:50383-0720-16	607247	precipitate found in product
HI-TECH	16-Jun-11	Chlorhexidine Gluconate Oral Rinse, 0.12%, 40UD, 15mL, NDC:50383-0720-19	607247	precipitate found in product
AMERICAN REGENT	14-Jun-11	Sodium Chloride Inj., 23.4%, carton of 25, NDC: 517-2930-25	0362	some vials may contain visible particulates
BAXTER	14-Jun-11	Potassium Chloride Inj, 20MEQ, 100mL/24, NDC: 338-0705-48	P262766, P263673, P259705, P259705A	misinterpretation of test data that could result in product not meeting endotoxin specifications
BAXTER	14-Jun-11	Potassium Chloride Inj, 20MEQ, 50mL/24, NDC: 338-0703-41	P254136, P254136A, P252700	misinterpretation of test data that could result in product not meeting endotoxin specifications
TEVA	14-Jun-11	Gabapentin Tablets, 600mg, 500 count, NDC: 93-4443-05	24G431	potential presence of small glass particles
RUGBY	13-Jun-11	Pain & Fever (Acetaminaphen) Conc. Drops, 0.5oz, NDC: 536-1936-72	11058, 10487, 10433, 10406, 10368, 10366, 10272, 10273, 10154, 09394, 09379, 09215, 09131, 09002	box contained non-child resistant dropper to administer product to child
DR REDDY'S	10-Jun-11	Simvastatin Tablets, 10mg, 500 count, NDC:55111-0198-05	C008115	complaints of musty or moldy odor
DR REDDY'S	10-Jun-11	Simvastatin Tablets, 40mg, 500 count, NDC:55111-0200-05	C008197, C008199	complaints of musty or moldy odor
DR REDDY'S	10-Jun-11	Simvastatin Tablets, 40mg, 90 count, NDC:55111-0200-90	C008195, C008196, C008198, C008200	complaints of musty or moldy odor
VERSA PHARM	07-Jun-11	Clindamycin Phosphate Topical Solution, 1%, Pledgets, NDC:61748-0201-60	045NL, 046NL, 047NL, 033NS, 034NS, 035NS, 038PA, 039PA, 040PA, 041PA	out of specification result for a degradation impurity
TEVA	06-Jun-11	Fluconazole Tablets, 100mg, 30 count, NDC:172-5411-46	Y02582	potential presence of 200mg tablets in bottles of 100mg
AMERICAN REGENT	03-Jun-11	Methyldopate HCl Inj., 250mg/5mL, ct/10, NDC: 517-8905-10	0152	some vials exhibit translucent visible particles consistent with glass delamination
TEVA	03-Jun-11	Amoxicillin O/S, 125mg/5mL, 80mL, NDC: 93-4150-79	35412445A	out of specification result for potency
KING	01-Jun-11	Cortisporin Otic Solution, 10mL, NDC:61570-0034-10	A52870C	out-of-specification potency result for Polymixin B Sulfate
TEVA	01-Jun-11	Lansoprazole Delayed Release, 30mg, 30's, NDC: 93-7351-56	44L031, 44L032	potential of some capsules not meeting appearance specifications
BRISTOL-MYERS SQUIBB	27-May-11	Coumadin Tablets, 10mg, 100 count btl, NDC: 56-0174-70	9J53293C, 9J53293F, 9K50111A	same active ingredient lot used in recalled 5mg lot 9H49374A
BRISTOL-MYERS SQUIBB	27-May-11	Coumadin Tablets, 10mg,10x10 Unit Dose, NDC: 56-0174-75	9J53293D	same active ingredient lot used in recalled 5mg lot 9H49374A
BRISTOL-MYERS SQUIBB	27-May-11	Coumadin Tablets, 2.5mg, 100 count, NDC: 56-0176-70	9J51681C, 9J51684B, 9K52102A	same active ingredient lot used in recalled 5mg lot 9H49374A
BRISTOL-MYERS SQUIBB	27-May-11	Coumadin Tablets, 2.5mg, 1000 count, NDC: 56-0176-90	9J51678A, 9J51686D	same active ingredient lot used in recalled 5mg lot 9H49374A
BRISTOL-MYERS SQUIBB	27-May-11	Coumadin Tablets, 4mg, 100 count btl, NDC: 56-0168-70	9J54843A	same active ingredient lot used in recalled 5mg lot 9H49374A
BRISTOL-MYERS SQUIBB	27-May-11	Coumadin Tablets, 4mg, 1000 count btl, NDC: 56-0168-90	9J54837B, 9J54846A	same active ingredient lot used in recalled 5mg lot 9H49374A
BRISTOL-MYERS SQUIBB	27-May-11	Coumadin Tablets, 4mg, 10x10 Unit Dose, NDC: 56-0168-75	9J54837C	same active ingredient lot used in recalled 5mg lot 9H49374A
BRISTOL-MYERS SQUIBB	27-May-11	Coumadin Tablets, 7.5mg, 100 count btl, NDC: 56-0173-70	9J49837A, 9J49839B	same active ingredient lot used in recalled 5mg lot 9H49374A
BRISTOL-MYERS SQUIBB	27-May-11	Coumadin Tablets, 7.5mg, 10x10 UD, NDC: 56-0173-75	9J49837B, 9J49839C	same active ingredient lot used in recalled 5mg lot 9H49374A
CAMBER	27-May-11	Torseamide Tablets, 100mg, 100 count, NDC: 31722-0532-01	E100688	complaint of one bottle of 100mg containing 99 of 100mg and 1 of 10mg Torseamide
AMERICAN REGENT	19-May-11	Sterile Water for Injection, 50mL, 25, NDC: 517-3050-25	0092	may contain rust like particulate matter
WEST-WARD	19-May-11	Aminophylline Tablets, 100mg, 1000's, NDC:143-1020-10	66382A, 66383A, 66557B, 67296A, 67297A, 67921B, 67922A	non-conforming units for Assay and Content Uniformity found during routine stability testing
WEST-WARD	19-May-11	Aminophylline Tablets, 100mg, 100's, NDC:143-1020-01	66383B, 66557A, 67297B, 67921A	non-conforming units for Assay and Content Uniformity found during routine stability testing
PFIZER	18-May-11	Nitrostat, 0.4mg Tabs, 4 x 25 Sublingual Tabs, NDC: 71-0418-13	V100670, V100546	remote possibility that bottles of Nitrostat 0.6mg may be contained in 4 pack carton of Nitrostat 0.4mg
ENDO	17-May-11	Percocet Tabs, 10/325mg, 100's, NDC:63481-0629-70	402243NV	one bottle of Percocet was found to contain one Endocet
QUALITEST	17-May-11	Codituss DM, 4oz, NDC: 603-0728-54	L089C10A, L089C10B	OOS impurity observed in DM raw material
QUALITEST	17-May-11	Iophen DM-NR, 16oz., NDC: 603-1330-58	L099D10A, L107C10A, L115C10A	OOS impurity observed in DM raw material
QUALITEST	17-May-11	Q-Tapp Cold and Cough, 4 oz. bottle, NDC: 603-0852-94	L090C10A	OOS impurity observed in DM raw material
AQUA	12-May-11	Monodox Capsules, 75mg, 100 count, NDC:16110-0075-01	332697A	two Monodox 100mg capsules were found in bottle of Monodox 75mg capsules
TEVA	11-May-11	Tretinoin Capsules, 10mg, 100 count, NDC:555-0808-02	702305	due to lot not conforming to impurity specifications
HOSPIRA	09-May-11	Sodium Chloride Inj., 50mL ADD-Vantage, NDC: 409-7101-66	88-068-JT	potential for solution to leak at port to tube interface
PROCTER & GAMBLE	06-May-11	Children's Nyquil, 6oz., NDC: 2390-0010-97	ALL LOTS	updating label
AMERICAN REGENT	05-May-11	Caffeine and Sodium Benzoate Inj., 250mg/mL, 10/ct, NDC:517-2502-10	0084	may contain visible particulates
UDL	05-May-11	Hydralazine HCl Tablets, 10mg, 100UD, NDC: 51079-0074-20	9V346, 0J293	potential of some tablets not conforming to weight specifications
AMERICAN REGENT	26-Apr-11	Ammonium Molybdate Inj., 25mcg/mL, 25's, NDC: 517-6610-25	9409	may contain visible particulates

MANUFACTURER	DATE	DESCRIPTION	LOT	REASON
TEVA	25-Apr-11	Hydralazine HCl Tablets, 10mg, 1000's, NDC: 50111-398-03	313344, 315613	potential of some tablets not conforming to weight specifications
TEVA	25-Apr-11	Propranolol HCl Tablets, 10mg, 1000's, NDC: 50111-0467-03	703661, 317058	potential of some tablets not conforming to weight specifications
TEVA	25-Apr-11	Propranolol HCl Tablets, 10mg, 100's, NDC: 50111-0467-01	314383	potential of some tablets not conforming to weight specifications
TEVA	25-Apr-11	Propranolol HCl Tablets, 20mg, 1000's, NDC: 50111-0468-03	317059	potential of some tablets not conforming to weight specifications
TEVA	25-Apr-11	Propranolol HCl Tablets, 20mg, 100's, NDC: 50111-0468-01	317225, 14160310A	potential of some tablets not conforming to weight specifications
TEVA	25-Apr-11	Propranolol HCl Tablets, 60mg, 100's, NDC: 50111-0470-01	341120810A	potential of some tablets not conforming to weight specifications
ARBOR	22-Apr-11	Fluor-a-day Chewable Tablets, 1.0mg, 120's, NDC: 24338-0622-16	451910	label indicates tablet is quarter strength and contains 1.1mg sodium fluoride (correct amount is 2.2mg)
BEDFORD	20-Apr-11	Indomethacin Inj., 1mg, NDC: 55390-0299-01	1948138	presence of sub-visible particulates (less than 10 micron)
TEVA	20-Apr-11	Clonazepam Tablets, 2mg, 100 count bottle, NDC: 93-0834-01	28C004	some tablets may not conform to weight specifications
TEVA	18-Apr-11	Gabapentin Tablets, 600mg, 100 count, NDC: 93-4443-01	24G473, 24G474, 24G475, 24G476	potential presence of small glass particles
ORTHO-MCNEIL	14-Apr-11	Topamax, 100mg, 60's, NDC: 50458-0641-65	0KG110, 0LG222	complaints of musty or moldy odor
UDL	14-Apr-11	Hydralazine HCl Tablets, 50mg, 100UD, NDC: 51079-0076-20	0S788	potential of some tablets not conforming to weight requirements
MCKESSON PACKAGING	11-Apr-11	Hydralazine HCl Tablets, 50mg, 100UD, NDC: 63739-0127-10	000073105, 000074634	potential of some tablets not conforming to weight requirements
VISTA PHARM	11-Apr-11	Phenytoin Susp., 125mg/5mL, 4mL/50U, NDC: 66689-0036-50	202800	lidding deformity discovered during nine-month stability testing
FOREST	08-Apr-11	Levothroid Tablets, 88mcg, 100 count, NDC: 456-1329-01	1077362	may not maintain potency thru labeled shelf life
LUPIN	08-Apr-11	Perindopril Erbumine Tablets, 2mg, 100's, NDC: 68180-0235-01	ALL LOTS	may not meet specifications over time
LUPIN	08-Apr-11	Perindopril Erbumine Tablets, 4mg, 100's, NDC: 68180-0236-01	ALL LOTS	may not meet specifications over time
LUPIN	08-Apr-11	Perindopril Erbumine Tablets, 4mg, 100's, NDC: 68180-0237-01	ALL LOTS	may not meet specifications over time
SMITH & NEPHEW	08-Apr-11	Skin-Prep Non Sting Wipes, Box of 50's, NDC: 59-4206-00	0E230, 0J290, 9K151	potential contamination
SMITH & NEPHEW	08-Apr-11	Skin-Prep Wipes, 50's, NDC: 4204-00	0D150, 0D169, 0D200, 0F165, 0F184, 0G215, 0G282, 0H116, 0K119, 0K120, 0K254, 0L165, 0L205, 0L227, 0L242, 1A246, 1A256	potential contamination
SMITH & NEPHEW	08-Apr-11	Uni-Solve Adhesive Remover Wipes, 50's, NDC: 4023-00	0F195, 0F198, 0F228, 0F239, 0H185, 0H228, 0K208, 0K209, 0M136, 0M137, 0M151, 1A103, 1B129	potential contamination
TARO	08-Apr-11	Carbamazepine Tabs, 200mg, 1000 count, NDC: 51672-4005-03	094038, 094039	out of specification dissolution results
HOSPIRA	07-Apr-11	Sodium Chloride Inj., 0.9%, 1000mL, NDC: 409-7983-48	96-094-JT	potential for solution to leak from additive port
TEVA	04-Apr-11	Antabuse, 500mg, 100, NDC: 51285-0524-02	317171	potential of some tablets not conforming to weight requirements
TEVA	04-Apr-11	Cyclobenzaprine HCl Tablets, 10mg, 1000's, NDC: 50111-0563-03	703327	potential of some tablets not conforming to weight requirements
TEVA	04-Apr-11	Hydralazine HCl Tablets, 100mg, 100's, NDC: 50111-0397-01	14115410A, 14120210A	potential of some tablets not conforming to weight requirements
TEVA	04-Apr-11	Hydralazine HCl Tablets, 25mg, 1000's, NDC: 50111-0327-03	313982	potential of some tablets not conforming to weight requirements
TEVA	04-Apr-11	Hydralazine HCl Tablets, 25mg, 100's, NDC: 50111-0327-01	317596, 317967	potential of some tablets not conforming to weight requirements
TEVA	04-Apr-11	Hydralazine HCl Tablets, 50mg, 1000's, NDC: 50111-0328-03	317057, 14174210A	potential of some tablets not conforming to weight requirements
TEVA	04-Apr-11	Hydralazine HCl Tablets, 50mg, 100's, NDC: 50111-0328-01	317053, 14015710A	potential of some tablets not conforming to weight requirements
TEVA	04-Apr-11	Metronidazole Tablets, 250mg, 100 count, NDC: 50111-0333-01	313336, 316770	potential of some tablets not conforming to weight requirements
TEVA	04-Apr-11	Metronidazole Tablets, 500mg, 100 count, NDC: 50111-0334-01	317021	potential of some tablets not conforming to weight requirements
TEVA	04-Apr-11	Propranolol HCl Tablets, 40mg, 1000's, NDC: 50111-0469-03	317063, 14151110A\	potential of some tablets not conforming to weight requirements
TEVA	04-Apr-11	Propranolol HCl Tablets, 60mg, 100's, NDC: 50111-0470-01	317068	potential of some tablets not conforming to weight requirements
TEVA	04-Apr-11	Propranolol HCl Tablets, 80mg, 100's, NDC: 50111-0471-01	315151	potential of some tablets not conforming to weight requirements
TEVA	04-Apr-11	Propranolol HCl Tablets, 80mg, 500's, NDC: 50111-0471-02	317065	potential of some tablets not conforming to weight requirements
NYCOMED	01-Apr-11	ApexiCon Ointment, 0.05% 30 gram tube, NDC: 462-0394-30	429G	viscosity specification was not met at stability test point
NYCOMED	01-Apr-11	Diflorasone Diacetate Oint., 0.05%, 30gm, NDC: 168-0243-30	428G	viscosity specification was not met at stability test point
TEVA	31-Mar-11	Enjuvia, .3mg, 100's, NDC: 51285-0406-02	316108	out of specification assay results
TEVA	31-Mar-11	Enjuvia, .45mg, 100's, NDC: 51285-0407-02	312876, 313245	out of specification assay results
TEVA	31-Mar-11	Enjuvia, .625mg, 100's, NDC: 51285-0408-02	312822	out of specification assay results
TEVA	31-Mar-11	Enjuvia, .9mg, 100's, NDC: 51285-0409-02	312823	out of specification assay results
TEVA	31-Mar-11	Enjuvia, 1.25mg, 100's, NDC: 51285-0410-02	702618	out of specification assay results
APP	29-Mar-11	Xylocaine MPF, 2%, 20mg/mL, 5mL SDV, NDC: 63323-0495-05	YA2080, YA2159	information obtained from AZ that damage was noted in internal construction of bulk tank
HOSPIRA	29-Mar-11	GemStar Pump Set, NDC: 741-3744-28	930345H, 931425H, 932785H	potential for air filter to become detached
HOSPIRA	29-Mar-11	Latex Free Blood Secondary Set, CS/48, NDC: 409-4602-58	940405H	potential for air filter to become detached

MANUFACTURER	DATE	DESCRIPTION	LOT	REASON
HOSPIRA	29-Mar-11	LS LF Hema Y Blood Set, Nonvented, CS/48, NDC: 741-2450-48	930875H, 940445H	potential for air filter to become detached
MCNEIL	29-Mar-11	Tylenol 8 Hour ER Caplets, 150 count, NDC:45-0297-18	ADM074	complaints of musty or moldy odor
RUGBY	28-Mar-11	Cerovite Liquid, 8 oz., NDC: 536-2790-59	606547	particulate matter has been found
APP	25-Mar-11	Irinotecan HCl Injection, 100mg/5mL, 5mL, NDC: 63323-0193-05	870DE00301, 870DE00101, 870DE00201, 870DE00401	complaints of particulates found in product solution within the vial
APP	25-Mar-11	Irinotecan HCl Injection, 20mg/mL, 2mL, NDC:63323-0193-02	870CZ00301	complaints of particulates found in product solution within the vial
HOSPIRA	24-Mar-11	Sodium Chloride Inj., 0.9%, 1000mL, NDC:517-1019-05	90-035-JT	potential for solution to leak from bag
GENENTECH	22-Mar-11	Xeloda Tablets, 500mg, bottle of 120, NDC:4-1101-50	U9452, X0054, X0071, X0073, X0078, X0079, X0080, X0084, X0085, X0086, X0087, X0093, X0094	presence of low levels of naphthalene and/or 1,4-dichlorobenzene, causing an odor
NOVEN	22-Mar-11	Daytrana, 10mg, 30's, NDC: 54092-0552-30	44591	no longer meeting release liner specification and/or z-statistic or may not meet release liner removal specs and/or z-statistic prior to expiry
NOVEN	22-Mar-11	Daytrana, 15mg, 30's, NDC: 54092-0553-30	46713, 47134	no longer meeting release liner specification and/or z-statistic or may not meet release liner removal specs and/or z-statistic prior to expiry
NOVEN	22-Mar-11	Daytrana, 20mg, 30's, NDC: 54092-0554-30	37789, 41520, 41849, 41873, 47313, 47937, 47955, 47958, 49235, 49724, 50797	no longer meeting release liner specification and/or z-statistic or may not meet release liner removal specs and/or z-statistic prior to expiry
NOVEN	22-Mar-11	Daytrana, 30mg, 30's, NDC: 54092-0555-30	40845, 40853, 46681, 46688, 46694, 48594, 49813	no longer meeting release liner specification and/or z-statistic or may not meet release liner removal specs and/or z-statistic prior to expiry
ABBOTT	18-Mar-11	Humira 40mg Prefill Pen, 2 Single-Use Pen, NDC: 74-4339-02	92078LJ40, 93085LX40	carton may contain damaged pen which are unusable and may expose handler to broken pieces of glass
SANDOZ	17-Mar-11	Glimepiride Tablets, 2mg, 100 count, NDC:781-5046-01	100857, 102364, 103009, 104073, 104616	packaged with incorrect version of package outsert
AMERICAN REGENT	16-Mar-11	Dexamethasone Sod. Phos. Inj, 4mg/mL, 1mL NDC: 517-4901-25	9153, 9170, 9182, 9218, 9254, 9295, 9329, 9352, 9368, 9385, 9422, 9425, 9441, 9512, 9549, 9565, 9605, 9615, 9615A, 9656, 9668, 9690, 9710, 9722, 9743, 0135, 0138, 0164, 0215, 0229, 0245, 0271, 0277, 0282, 0296, 0302, 0305, 0324, 0331, 0342, 0409, 0444, 0593, 0599, 0639, 0678, 0710, 0736, 0773, 0792, 0803, 0819, 0836, 0846, 0853, 0879	some vials either contain particulates or have potential to form particulates prior to expiration
AMERICAN REGENT	16-Mar-11	Dexamethasone Sod. Phos. Inj, 4mg/mL, 5mL NDC: 517-4905-25	9210, 9250, 9335, 9393, 9417, 9516, 9571, 9620, 9667, 0157, 0217, 0269, 0317, 0392, 0404, 0407, 0556, 0624, 0704, 0765, 0805, 0878, 1055	some vials either contain particulates or have potential to form particulates prior to expiration
AMERICAN REGENT	16-Mar-11	Dexamethasone Sod. Phos., Inj, 4mg/mL, 30mL, MDV NDC: 517-4930-25	0213, 0306, 0387, 0565, 0679, 0771, 0840	some vials either contain particulates or have potential to form particulates prior to expiration
LARKEN	16-Mar-11	EndaCof-C, 16 ounce, NDC: 68047-0145-16	09046, 09047, 09048, 10007, 10008, 10009	required by provisions of the Consent Decree of Permanent Injunction by the FDA for products sold on or after 10/31/08
LARKEN	16-Mar-11	EndaCof-DC, 16 oz., NDC: 68047-0146-16	09057, 09058, 09059, 09094, 09095	required by provisions of the Consent Decree of Permanent Injunction by the FDA for products sold on or after 10/31/08
LARKEN	16-Mar-11	EndaCof-DC, 16 oz., NDC: 68047-0148-16	10025, 10026	required by provisions of the Consent Decree of Permanent Injunction by the FDA for products sold on or after 10/31/08
LARKEN	16-Mar-11	EndaCof-DH, 16 oz., NDC: 68047-0139-16	09068, 09069, 09070, 09104	required by provisions of the Consent Decree of Permanent Injunction by the FDA for products sold on or after 10/31/08
LARKEN	16-Mar-11	EndaCof-PD, 30mL, NDC: 68047-0010-30	09050, 09056, 09090, 09103	required by provisions of the Consent Decree of Permanent Injunction by the FDA for products sold on or after 10/31/08
LARKEN	16-Mar-11	LoHist-D, 16 ounce, NDC: 68047-0120-16	09014, 09055, 09082, 09087, 10011, 10013	required by provisions of the Consent Decree of Permanent Injunction by the FDA for products sold on or after 10/31/08
LARKEN	16-Mar-11	LoHist-PD, 30mL, NDC: 68047-0011-30	09085, 09099	required by provisions of the Consent Decree of Permanent Injunction by the FDA for products sold on or after 10/31/08
SCHERING	16-Mar-11	Foradil Aerolizer, 12mcg/inhalation	F0008	out of specification result for Particle Size Distribution Test
AMERICAN REGENT	15-Mar-11	Bacteriostatic Sodium Chloride Inj., 0.9%, NDC: 517-0648-25	9330, 9599, 9828	some vials may contain visible particulates
AMERICAN REGENT	15-Mar-11	Conc. Sodium Chloride Inj., 23.4%, 100mL, NDC: 517-2900-25	9225, 9492, 9711, 0007, 0058	some vials may contain visible particulates
AMERICAN REGENT	15-Mar-11	Conc. Sodium Chloride Inj., 23.4%, 30mL, NDC: 517-2930-25	9198, 9252, 9299, 9305, 9402, 9423, 9432, 9553, 9595, 9646, 9681, 9737, 9797, 9831, 0051, 0095	some vials may contain visible particulates
KING	11-Mar-11	Embeda ER Capsules, All Strengths, 100's, NDC: 60793-0430-01, NDC: 60793-0431-01, NDC: 60793-0433-01, NDC: 60793-0434-01, NDC: 60793-0435-01, NDC: 60793-0437-01	ALL LOTS	stability data from commercial-scale validation lots do not support marketed product meeting the acceptance criteria thru expiry
TEVA	11-Mar-11	Methylprednisolone Tablets, 4mg, 100's, NDC: 555-0301-02	ALL LOTS	potential of not meeting the Impurity C specification thru shelf life
TEVA	11-Mar-11	Methylprednisolone Tablets, 4mg, 21's, NDC: 555-0301-38	ALL LOTS	potential of not meeting the Impurity C specification thru shelf life
UDL	11-Mar-11	Hydralazine HCl Tablets, 10mg, UD100, NDC: 51079-0074-20	0P643	potential of some tablets not conforming to weight requirements
HOSPIRA	10-Mar-11	Lorazepam Inj., 2mg/mL iSecure Syr, NDC: 409-1985-05	79-690-LL, 83-606-LL, 91-660-LL	discrepancy in storage statement on the shipping container; product should be refrigerated
SAGENT	10-Mar-11	Amiodarone HCl Inj., 150mg/3mL, NDC:25021-0302-73	ER001, ER002, ER003, ER004, ER005, ER006, ER007, ER008, ER009, ER010	incompatibility of certain needleless I.V. sets with Luer-Activating Devices

MANUFACTURER	DATE	DESCRIPTION	LOT	REASON
ACORDA	09-Mar-11	Zanaflex Capsules, 2mg, 150 capsules, NDC: 10144-0602-15	0L371	complaints of empty capsules
ACORDA	09-Mar-11	Zanaflex Capsules, 4mg, 150 capsules, NDC: 10144-0604-15	9M227, 9P445	complaints of empty capsules
APOTEX	04-Mar-11	Amlopidine Besylate Tablets, 10mg, 1000's, NDC: 60505-0195-03	JD0789, JE7881, JE7882, JF5173, JF5174, JG6603	stability testing identified level exceeding specification
APOTEX	04-Mar-11	Amlopidine Besylate Tablets, 10mg, 90's, NDC: 60505-0195-02	JD0788, JD4614, JD4615, JE7873, JE7876, JF1994	stability testing identified level exceeding specification
APOTEX	04-Mar-11	Amlopidine Besylate Tablets, 2.5mg, 1000's, NDC: 60505-0193-02	JE3555, JF51110, JG6578	stability testing identified level exceeding specification
APOTEX	04-Mar-11	Amlopidine Besylate Tablets, 2.5mg, 90's, NDC: 60505-0193-03	JD0780, JE3558, JF5111	stability testing identified level exceeding specification
APOTEX	04-Mar-11	Amlopidine Besylate Tablets, 5mg, 1000's, NDC: 60505-0194-03	JD0782, JD4611, JF5171, JG6592	stability testing identified level exceeding specification
APOTEX	04-Mar-11	Amlopidine Besylate Tablets, 5mg, 90's, NDC: 60505-0194-02	JD0787, JD4612, JD4613, JF5172	stability testing identified level exceeding specification
BRECKENRIDGE	04-Mar-11	Coldcough PD, 4oz, NDC: 51991-022-16	09027, 09029, 09040, 09076	not manufactured in full conformity with cGMPs and label bears inadequate directions
BRECKENRIDGE	04-Mar-11	Coldcough PD, 4oz, NDC: 51991-0224-04	09028UL, 09030UL, 09038UL, 09044UL, 09049UL, 09063UL, 09078UL, 09079UL, 09088UL, 09105UL, 09106UL, 10003UL, 10004UL	not manufactured in full conformity with cGMPs and label bears inadequate directions
QUALITEST	04-Mar-11	Sulfamethoxazole/TR, Suspension, 16 oz., NDC: 603-1684-58	L088G10A, L088H10A, L089H10A, L022F10A, L023F10A, L037L09A, L038L09A, L049L09A, L090K10A, L107D10A, L038L109B	dissolution results were out of specification
BD	02-Mar-11	BD Nokor Needle Vented, Box of 100, NDC: 8290-3052-13	0007829	incorrect unit labels
TEVA	02-Mar-11	Hydralazine HCl Tablets, 10mg, 1000's, NDC: 50111-398-03	317042	potential of some tablets not conforming to weight requirements
TEVA	02-Mar-11	Hydralazine HCl Tablets, 10mg, 100's, NDC: 50111-0398-01	317041	potential of some tablets not conforming to weight requirements
BAUSCH & LOMB	25-Feb-11	Soothe XP Eye Drops, NDC: 1011-9022-28	397297, 397381, 397561, 397711, 397731, 397921, 397931, 407051, 407611, 407631, 417061, 427131, 437271, 437501, 437521, 447181, 447191, 448061, 448071, 457001, 457171, 457191, 457881, 458001, 467201, 477101, 477111, 477911, 487311, 487571, 497111, 497561, 507741, 507861, 517131, 517911, 518021, 537001, 537131, 537141, 537391, 537661, 537671, 537921, 538051, 547011, 547201, 547221, 547231, 547631, 547651, 548171, 557021, 557032, 557451, 130241, 130541, 130831, 130841, 131381, 131391, 132081	out of specification for preservative efficacy prior to expiration
TEVA	24-Feb-11	Gemfibrozil Tabs, 600mg, 60 count, NDC:93-0670-06	01G495	laboratory investigation not performed in accordance with strict adherence to FDA Guidance for Industry Investigating Out-of-Specification Test Results for Pharmaceutical Production
TEVA	24-Feb-11	Glyburide Metformin, HCl, 2.5mg/500mg,100 NDC: 93-5711-01	G31120	laboratory investigation not performed in accordance with strict adherence to FDA Guidance for Industry Investigating Out-of-Specification Test Results for Pharmaceutical Production
TEVA	24-Feb-11	Glyburide Metformin, HCl, 5mg/500mg,100's NDC: 93-5712-01	16G319, 16G321	laboratory investigation not performed in accordance with strict adherence to FDA Guidance for Industry Investigating Out-of-Specification Test Results for Pharmaceutical Production
TEVA	24-Feb-11	Glyburide Metformin, HCl, 5mg/500mg,500's NDC: 93-5712-05	16G275, 16G276, 16G277, 16G330, 16G346, 16G347, 16G348	laboratory investigation not performed in accordance with strict adherence to FDA Guidance for Industry Investigating Out-of-Specification Test Results for Pharmaceutical Production
TEVA	24-Feb-11	Pravastatin Sodium Tabs, 20mg, 1000's, NDC: 93-7201-10	04Y223	laboratory investigation not performed in accordance with strict adherence to FDA Guidance for Industry Investigating Out-of-Specification Test Results for Pharmaceutical Production
TEVA	24-Feb-11	Pravastatin Sodium Tabs, 20mg, 90's, NDC: 93-7201-98	04Y223	laboratory investigation not performed in accordance with strict adherence to FDA Guidance for Industry Investigating Out-of-Specification Test Results for Pharmaceutical Production
UPSHER-SMITH	24-Feb-11	Androxy, 10mg, 100's, NDC: 832-0086-00	283336	packaged on same packaging line of bottle of Jantoven 3mg containing incorrect strength of Warfarin Sod.
UPSHER-SMITH	23-Feb-11	Jantoven Warfarin Sod Tablets, 10mg, 100's, NDC: 832-1219-00	283342, 282917	bottle contained incorrect strength of Warfarin Sod.
UPSHER-SMITH	23-Feb-11	Jantoven Warfarin Sod Tablets, 1mg, 100's, NDC: 832-1211-00	280617, 282872	bottle contained incorrect strength of Warfarin Sod.
UPSHER-SMITH	23-Feb-11	Jantoven Warfarin Sod Tablets, 2.5mg, 100's, NDC: 832-1213-00	281667	bottle contained incorrect strength of Warfarin Sod.
UPSHER-SMITH	23-Feb-11	Jantoven Warfarin Sod Tablets, 2mg, 100's, NDC: 832-1212-00	280598	bottle contained incorrect strength of Warfarin Sod.
UPSHER-SMITH	23-Feb-11	Jantoven Warfarin Sod Tablets, 3mg, 100's, NDC: 832-1214-00	280612, 284081	bottle contained incorrect strength of Warfarin Sod.

MANUFACTURER	DATE	DESCRIPTION	LOT	REASON
UPSHER-SMITH	23-Feb-11	Jantoven Warfarin Sod Tablets, 4mg, 100's, NDC: 832-1215-00	283334	bottle contained incorrect strength of Warfarin Sod.
UPSHER-SMITH	23-Feb-11	Jantoven Warfarin Sod Tablets, 5mg, 100's, NDC: 832-1216-00	280581, 283340, 283459, 283455	bottle contained incorrect strength of Warfarin Sod.
UPSHER-SMITH	23-Feb-11	Jantoven Warfarin Sod Tablets, 6mg, 100's, NDC: 832-1217-00	282277, 284079	bottle contained incorrect strength of Warfarin Sod.
UPSHER-SMITH	23-Feb-11	Jantoven Warfarin Sod Tablets, 7.5mg, 100's, NDC: 832-1218-00	280614	bottle contained incorrect strength of Warfarin Sod.
NYCOMED	22-Feb-11	Keralac Cream, 5oz., NDC: 10337-0658-05	9E17	customer complaint for consistency
APP	18-Feb-11	Cytarabine Inj. 2g/20mL, 20mL SDV, NDC: 63323-0120-20	6101204	complaints of precipitation / crystallization in vial
LUPIN	18-Feb-11	Lisinopril Tablets, 30mg, 100 count, NDC:68180-0516-01	3104749	possibility of unintended tablets in the bottles
TEVA	18-Feb-11	Carbamazepine Tablets, 200mg, NDC:93-1233-93	092246A, 092571A, 092926A, 092931A, 093199A, 094039A, 094899A	may not meet dissolution specification over shelf life
SANDOZ	16-Feb-11	Metaxalone Tablets, 800mg, 100 count, NDC: 185-0448-01	190390, 190391, 190392, 190393, 190394, 190395, 190396, 190397, 190399, 190400, 192581, 192582, 193749, 193750, 193751, 193752, 193753, 193755, 193756, 193757, 196238, 196239, 198616, 198617, 198619, 199639, 199640, 199982, 200264, 200265, 200268	may not meet dissolution requirements thru expiry
SANDOZ	16-Feb-11	Metaxalone Tablets, 800mg, 1000 count, NDC: 185-0448-10	192583, 193754, 196240, 198619, 199638	may not meet dissolution requirements thru expiry
UPSHER-SMITH	16-Feb-11	Jantoven Warfarin Sod Tablets, 3mg, 100's, NDC: 832-1214-00	284081	bottle contained incorrect strength of Warfarin Sod.
CENTOCOR	14-Feb-11	Simponi, 50mg/0.5mL, SmartJect, Sngl Dose, NDC: 57894-0070-02	09D071.AC	may not deliver a full dose
JANSEN	11-Feb-11	Invega Sustenna, 234mg Injection Kit, NDC: 50458-0564-01	9IBK000, 9IBK002, 9IBK003, 9IBK004, 9JBK000, 9IBK005, 9IBK001	some syringes can contain a crack in the syringe barrel
TEVA	11-Feb-11	Lansoprazole Delayed Release, 30mg, 30's, NDC: 93-7351-56	44L026	potential of some capsules not meeting appearance specifications
LEO PHARMA	10-Feb-11	Innohep, 20,000 IU/mL, 2mL 10 X 2mL units, NDC: 67211-0342-53	DC3957, DC5102, DC6685, DC7549, DC7118, DC8258, DC7550, DC9390, DC9391, DC9651, DD0713	risk of presence of particulate matter in released vials
LEO PHARMA	10-Feb-11	Innohep, 20,000 IU/mL, 2mL vials, 2mL units, NDC: 67211-0342-08	DC3381, DC6985, DC8228, DC9158, DC9874, DC9873	risk of presence of particulate matter in released vials
NEPHRON	04-Feb-11	Albuterol Sulfate Inhalation Solution, 0.083%, 3mL/60	A0B17A	potential for some 30-ct pouches to contain vials of Ipratropium Bromide, 0.5mg/Albuterol Sulfate Inh. Sol.
AMERICAN REGENT	03-Feb-11	Potassium Phosphates Inj, 15mM, 5mL/25, NDC: 517-2305-25	0048	some vials exhibit translucent visible particles consistent with glass delamination
EKR THERAPEUTICS	03-Feb-11	Retavase FULL KITS, NDC: 24477-0041-02	522253F-09	Kit contains Alcohol Prep Pads recalled by Triad
EKR THERAPEUTICS	03-Feb-11	Retavase FULL KITS, NDC: 67286-0040-01	522203F-04, 522203F-05, 522253F-07	Kit contains Alcohol Prep Pads recalled by Triad
SANDOZ	03-Feb-11	Levothyroxine Sodium Tablets, 25mcg, 100's, NDC: 781-5180-01	C09T0161A1, C09T0161A2, 09T9661A	failed or may not meet potency specification thru expiration date
SANDOZ	03-Feb-11	Levothyroxine Sodium Tabs, 25mcg, 1000's, NDC: 781-5180-10	09T11371A, 09T11381A, C10T0051A2, C10T0051A1, 09T11391A, 10T0981A	failed or may not meet potency specification thru expiration date
AMERICAN REGENT	02-Feb-11	Sodium Thiosulfate Injection, 10%, 10mL/5, NDC: 517-1019-05	0056	some vials exhibit translucent visible particles consistent with glass delamination
TEVA	01-Feb-11	Budeprion XL, 300mg, 500 count bottles, NDC: 93-5351-05	9020881, 9020891, 9020911, 9020931, 9030951, 9020971, 9020991, 9021081, 9021121, H0040361, H0040372, H0070781, H0070791, H0100391	may not meet impurity specification thru shelf life
WEST-WARD	31-Jan-11	Calcitriol, 1mcg/mL, NDC: 143-9728-05	00005	due to discrepancy found with barcode on ampule and ampule carton
TEVA	26-Jan-11	Lisinopril Tablets, 20mg, 100 cnt bottle, NDC: 172-3760-60	TE07109, TE08053	potential that some tablets may exhibit areas of discoloration
TEVA	26-Jan-11	Lisinopril Tablets, 20mg, 500 cnt bottle, NDC: 172-3760-70	TE07110, TE07118, TE07127	potential that some tablets may exhibit areas of discoloration
TEVA	26-Jan-11	Lisinopril Tablets, 40mg, 100 cnt bottle, NDC: 172-3761-60	TE04168A, TE04203A, TE04221A, TE06208, TE06225, TE07218, TE07219	potential that some tablets may exhibit areas of discoloration
TEVA	26-Jan-11	Lisinopril Tablets, 40mg, 500 cnt bottle, NDC: 172-3761-70	TE04168B, TE04203B, TE04221B, TE06065, TE06066, TE06072, TE06083, TE06084, TE06119, TE06132, TE06176, TE06177, TE06178, TE06207, TE07019, TE07052, TE07092, TE07093, TE07095, TE07136, TE07148, TE07161	potential that some tablets may exhibit areas of discoloration
SANDOZ	24-Jan-11	Triamterene & HCTZ Capsules, 50mg/25mg, 100 count bottles, NDC:781-2715-01	172570, 176302, 178590, 179318, 180013, 181796, 183307, 184758, 187339, 188628, 190119, 191984, 194254, 196706, 197756, 198604	may exhibit lower dissolution rate than required per product specification
MEDLINE	20-Jan-11	Sterile Lubricating Jelly in the following kits: 1)Enema Bucket Set, NDC:-0701-04 and 2)Foley Insertion Tray, NDC: -0181-00	Lots beginning with 08, 09, 10 followed by a letter (A-Z)	Triad Group recall due to concerns regarding validation of famma radiation sterilization cycles
VISTA PHARM	19-Jan-11	Metoclopramide O/S, 5mg/5mL 10mL fill, NDC: 66689-0031-50	195900	mislabeled
MAJOR	17-Jan-11	Alcohol Prep Pads, 100, NDC: 904-4277-60	ALL LOTS	potential contamination
BRISTOL-MYERS SQUIBB	10-Jan-11	Avalide Tablets, 150/12.5mg 30 count NDC: 87-2775-31	9D43939A, 9D43940A	may contain small quantities of Form B of irbesartan
BRISTOL-MYERS SQUIBB	10-Jan-11	Avalide Tablets, 150/12.5mg 90 count NDC: 87-2775-32	8B2028A, 8B2029A	may contain small quantities of Form B of irbesartan
BRISTOL-MYERS SQUIBB	10-Jan-11	Avalide Tablets, 300/12.5mg 30 count NDC: 87-2776-31	9D43942A, 9H2050A, 0D61194A, 0E62452A, 0E62454A, 0E62458A, 0E62459A, 0E62464A	may contain small quantities of Form B of irbesartan
BRISTOL-MYERS SQUIBB	10-Jan-11	Avalide Tablets, 300/12.5mg 90 count NDC: 87-2776-32	9D43943A, 9L2082A, 0E62455A, 0E62460A, 0E62461A, 0F61157A, 0F61158A	may contain small quantities of Form B of irbesartan

MANUFACTURER	DATE	DESCRIPTION	LOT	REASON
BRISTOL-MYERS SQUIBB	10-Jan-11	Avalide Tablets, 300/25mg 30 count NDC: 87-2788-31	9L49620A, 9L49621A, 9L49623A, 9L49628A, 9L49629A, 9L49630A, 9L49632A, 9L49633A, 9L49641A, 0A57264A, 0A57265A, 0A57266A, 0A57267A, 0A57271A, 0C65450A, 0C65451A, 0C65454B, 0C65462A, 0C65464A, 0C65466A, 0C65467A, 0E57188A, 0E57189A, 0E57193A, 0F62352A, 0F62353A	may contain small quantities of Form B of irbesartan
BRISTOL-MYERS SQUIBB	10-Jan-11	Avalide Tablets, 300/25mg 90 count NDC: 87-2788-32	9L49625A, 9L49631A, 9L49635A, 9L49637A, 9L49638A, 0A57260A, 0A57268A, 0A57269A, 0C65449A, 0C65452A, 0C65460A, 0C65461A, 0C65463A, 0D61197A, 0E57194A, 0F57374A, 0F62351A	may contain small quantities of Form B of irbesartan
NYCOMED	10-Jan-11	Fluticasone Prop Oint., 0.005%, 15gm, NDC:168-0333-15	790G	confirmed Out of Specification result and lots and expiration date may not be readily legible
GOODSENSE	07-Jan-11	GS Alcohol Prep Swabs, 100 count, NDC: 80410-0000-46	ALL LOTS	potential contamination
SANDOZ	07-Jan-11	Metoprolol Tartrate, 100mg, 100 count, NDC:781-1228-01	169343, 169344, 169475, 170615, 170616, 170618, 170620, 170908, 171439, 171440, 171433, 172147, 172149, 172150, 172151, 172152, 172861, 172862, 172863, 175128, 175129, 176227, 176228, 176230, 176236, 176373, 177274, 177276, 177644, 177645, 178448, 178449, 179075, 179076, 179077, 179078, 179080, 179082, 179638, 179639, 179640, 180038, 180039, 180061, 180762, 180763, 181708, 181710, 181711, 181712, 181713, 182785, 182786, 182788, 182790, 184754, 187305, 187307, 187781, 188711, 190238, 191513, 192076, 192079, 192694, 192695, 193928, 194785, 195276, 195277, 196321, V07075, V07076	some tablets may be slightly outside specification for content uniformity
SANDOZ	07-Jan-11	Metoprolol Tartrate, 100mg, 1000 count, NDC:781-1228-10	169474, 170613, 170614, 170617, 170619, 170907, 170909, 171438, 171442, 172145, 172148, 172152, 173723, 175130, 176004, 176229, 176234, 176236, 177275, 177277, 177279, 177281, 177643, 179073, 179074, 179079, 179637, 180040, 180062, 180524, 180526, 180812, 181707, 181709, 182784, 182787, 182789, 183025, 183341, 183342, 183343, 183344, 183345, 184071, 184072, 184751, 184755, 185508, 185510, 186110, 187301, 187302, 187303, 187304, 187306, 187637, 187638, 187782, 188710, 188712, 188713, 188992, 188993, 188994, 188995, 189276, 189487, 190239, 190240, 191188, 191189, 191514, 191515, 192077, 192078, 192080, 192081, 192084, 192085, 192088, 192089, 193924, 193925, 193926, 193927, 194786, 194787, 195273, 195274, 195275, 196319, 196320, 196322, V07077	some tablets may be slightly outside specification for content uniformity
SANDOZ	07-Jan-11	Metoprolol Tartrate, 50mg, 100 count, NDC:781-1223-01	170048, 170900, 173554, 176221, 176225, 184025, 188709, 191185, 192071, 192692, 196857, V09014, V09018	some tablets may be slightly outside specification for content uniformity
SANDOZ	07-Jan-11	Metoprolol Tartrate, 50mg, 1000 count, NDC:781-1223-10	169335, 169336, 170045, 170608, 170609, 170896, 170897, 170898, 170899, 170901, 170902, 170903, 170904, 171021, 171023, 172801, 172802, 172803, 173553, 173554, 173555, 173556, 173557, 173558, 173559, 173560, 173570, 173721, 173722, 175127, 176218, 176219, 176220, 176221, 176222, 176223, 176224, 176225, 176367, 176368, 176369, 177270, 177273, 177371, 179061, 179062, 179063, 179064, 179065, 179066, 179067, 179068, 179069, 179071, 179768, 179769, 180034, 180035, 180036, 180520, 180521, 180538, 181703, 181704, 181705, 181706, 182792, 183338, 184025, 186109, 186141, 187299, 187300, 188707, 188708, 188709, 188988, 188989, 188991, 190235, 190236, 190237, 191185, 192068, 192069, 192070, 192071, 192072, 192073, 192074, 192075, 193692, 192693, 193923, 194782, 195270, 195271, 196317, 196856, 196858, 197460, V07059, V09012, V09013, V09014, V09017, V09018, V09019	some tablets may be slightly outside specification for content uniformity
CUMBERLAND	05-Jan-11	Acetadote Inj., 200mg/mL, 30mL, 4/ct, NDC: 66220-0107-30	090304, 090331, 090401, 090511, 090602, 090616	observed particulate matter found in small number of vials
FOREST	04-Jan-11	Campral, 333mg Dose Pak, 180 (3 x 60pk), NDC: 456-3330-60	106782	some tablets failed specification for dissolution testing at 12 month stability testing interval
FOREST	04-Jan-11	Campral, 333mg HUD, 100 (10 x 10pk), NDC: 456-3330-63	1066737	some tablets failed specification for dissolution testing at 12 month stability testing interval

LEVEL
Retail
Retail
Retail
Retail
Retail
Retail
Retail
Retail
Retail
Retail
Retail
Retail
Retail
Retail
Retail
Retail
Retail
Retail
Retail
Consumer
Retail
Retail
Retail
Retail
Retail
Retail
Consumer
Retail
Retail
Retail
Retail
Retail
Retail
Retail
Retail
Retail
Retail
Retail
Consumer
Retail
Retail
Retail
Retail

